



Asian Granito India Ltd.

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway, Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax: +91 79 66125600/66058672 CIN: L17110GJ1995PLC027025

E-mail: info@aglasiangranito.com | Web: www.aglasiangranito.com















Scan code to **Download** AGL Tiles App



Scan code to **Download** Catalogue



Scan to Find Exclusive Store



Scan code for 360° Tour











TUFFGUARD & PORCELAIN TILES

AGL Premium

V4

TUFFGUARD AND PORCELAIN TILES

ABOUT US


At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to clock net consolidated turnover of ₹1562 Crores (US \$190 Million) in FY22-23, making us giant in the space décor industry. In the short span of 23 years, we are one of India's largest groups, with a global footprint across 100 countries. Today,


AGL has enhance its product range from Tile to Marble, Quartz and now in Bathware as well.

The research and development center at every AGL plant is well equipped with all the latest testing methods and the products are thoroughly tested for quality before delivery. It is ensured that every product matches the highest international quality standards.











From ceramic tiles to latest Glazed Vitrified Tiles & Double Charge Vitrified Tiles; Roto Drum to New Digital Technology, AGL dominates the most diverse array of designs across the entire Tile, Marble & Quartz product range. Modernization plays a pivotal role for the company, which becomes evident from our 09 ultra modern plants across Gujarat. Spread over an area of 3,20,000 sqm these plants unfailingly produce unbeatable classy products every day. Therefore, we are proud to acquire the certifications from ISO and Green Building.

A: Latest Press with ultra modern feeder

B: Digital Printing Technology -14 Unit

C: World's Widest Kiln First in India

D: Auto check of planarity & rectangularity of tiles E: Continua + latest press system from Sacmi, italy Asian Granito India Limited has debunked the myth that leadership in design is a forte only of foreign players by achieving the position through an ideal mix of creativity and technology. It has been the champion in introducing innovative digital printing technology with a technical collaboration with SACMI, Italy. A world-class Quality Management System has enabled us to build a portfolio that is truly avantgarde.

GLOBAL PRESENCE IN OVER 100+ **COUNTRIES**

YOUNGEST & **FASTEST GROWING** TILE COMPANY IN INDIA

LARGEST SINGLE LOCATION PLANT IN INDIA ONE OF TOP 4 LISTED CERAMIC TILES COMPANIES IN INDIA

Achievements of trusted and innovative brand in the ceramic industry

AWARDS AND Today, AGL has been performed the best to give excellent product and services across the globe and in result, AGL has RECOGNITION product and services across the globe and in result, AGL has been recognized by top media houses like Readers' Digest, The Economic Times and Fortune India. AGL is certified with ISO 9001:2015 and ISO 14001:2015 for its quality management and environmental management system and also products are certified with CE standards.

































AGL is now MEGA BRAND Recognition by ARCHITECTURE + DESIGN - 2016



ET INDUSTRY LEADERS 2021



Recognised as one of the Best Brand by The Economic Times -2022




Recognised as one of the Best Brand by The Economic Times -2023



CERTIFICATIONS







ISO 9001: 2015







CERTIFIED TWO STAR




GRIHA CERTIFIED



CE CERTIFIED

IIID CERTIFIED



AWARDED FOR BRAND LEADERSHIP



IGBC CERTIFIED

MANY NATIONAL & **INTERNATIONAL PROJECTS**

Today AGL is the preferred brand for several National & International Projects. We are partnering several private residential projects, commercial projects, showrooms, port authorities, religious centers, and international projects. Here are selected few of them:







Project : Cleveland Cycle Werks Showroom



PRESTIGIOUS PROJECTS


























































































and many more ...





Asian Granito India Ltd. (AGL) exports spread across an ever growing network of more than 100 countries.



OUR EXPERIENCE CENTRES

"Team AGL is making efforts to simplify product selections very nearer to you. Keeping in mind better service and easy access to AGL products, your company has opened world class display centres across various metro cities of India. These showrooms are avant-garde with contemporary product applications of Tiles, Marble, Quartz and its latest Bathware range of products. We are sure that your visit to AGL showroom definitely helps you in right product selection and leave long lasting impressions in your mind. Below are few glimpse over the showroom.








AHMEDABAD | MORBI | HIMATNAGAR | MUMBAI | BANGALURU COCHIN | HYDERABAD | JAIPUR | DELHI | KOLKATA

TOUGH AND RESILIENT WITH TIMELESS AESTHETIC ELEGANCE









AGL Tuffguard and Porcelain collection are the blend of creativity, trend, luxurious touch and feel, add on with safety features. It is decorated with natural textures and values to maintain very easily in daily life. It has vast applications like bathroom, living room, balcony, bedroom and lot more, wherever you want to transform space.









Available in modern formats like 600x1200mm, 600x600mm, 397x397mm, 195x1000mm and 300x300mm. They are manufactured using most advance technology and developed by highly experienced research team to elevate your space aesthetics to higher class. It has bunch of features like stain and skid resistant, high abrasion resistant and much more to stay impressive life long.

TILE FEATURES



HIGH DURABILITY

FLOOR

TILES

STAIN



HYGIENIC SURFACES





NANO POLISHED





FIRE

EASY TO

RESISTANCE



SCRATCH

EASY TO

CLEAN



ECO

Introducing New Sizes Soon

600x 600mm

12MM Thickness

1200x 1600mm 9MM Thickness

800x 2600mm 15MM Thickness

1200x 2800mm 6MM Thickness





600x1200mm MATT FINISH






















JOYTONE BEIGE





























KOTA GREEN

SWITZ IVORY















14

FAME MARFIL







600x1200mm MATT FINISH



















TITLIS SATVARIO









OPTIMA CREMA

OPTIMA CHOCO









PARISIA BRIGHT WOOD





PARISIA WENGE WOOD

PARISIA PINE WOOD









600x1200mm MATT CARVING FINISH



















INSIGNIA GRIS







INSIGNIA STYLE DECOR

INSIGNIA PETAL DECOR



INSIGNIA ARTE DECOR










INSIGNIA FLORA DECOR











600x1200mm PUNCH WITH CARVING FINISH



















ARCHIDI PINE ARCHIDI FUSION









ARCHIDI WENGE











FANTASIA GRIS










FANTASIA NERO

FANTASIA BLUE









600x1200mm PUNCH WITH CARVING FINISH




















FANTASIA WHITE

FANTASIA CREMA









FANTASIA BEIGE

FANTASIA COTTO









FANTASIA CHOCO

FANTASIA RUBY

PUNCH WITH BUFFING FINISH







VELVETTE DECOR

U N I Q U E







PLATINUM TRAVERTINO

GOLDEN TRAVERTINO





























SOFTONE FUSION DECOR









SOFTONE SILVER

SOFTONE MOCA











RICHIE BIANCO










RICHIE GREY

RICHIE BROWN





























RAY CHOCO









ELEGANTE MARMO







INFINIA SATVARIO



MONTE CRISTO









MYRIAD BLUE









MYRIAD OLIVE

LUXURIA BRUNO

LUXURIA LIGHT

























VANISH CREMA

NOVA WOOD PINE









VANISH GREY

NOVA WOOD BROWN









VANISH NERO

NOVA WOOD GOLD











600x600mm MATT FINISH MTA- Make to Available
This product is immediately available to order.

MTO- Make to Order
This product is made on order only.
























ANDESROCK CREMA

ANDESROCK BEIGE

ANDESROCK CREMA DÉCOR











ANDESROCK GRIS

ANDESROCK GRIGIO

ANDESROCK GRIS DÉCOR











HARMONY GREY

HARMONY BEIGE

HARMONY BLACK

HARMONY GREY DECOR













HARMONY SAND

HARMONY BEIGE DECOR



















600x600mm MATT FINISH























CALCATTA NATURAL

URBAN ROYAL GRIGIO

CALCATTA NATURAL DECOR













STARTEK BIANCO

STARTEK NERO

STARTEK NERO DECOR











AVON GRIS

AVON GRIGIO

AVON GRIGIO DECOR











DRIFT GRIS DECOR




DRIFT GRIS





600x600mm MATT FINISH



























SUPERIO GRIS

AZULATE AQUA

SUPERIO GRIS DECOR

SUPERIO TAN DECOR











AZULATE BLUE AZULATE BLUE ART












ARTFLOR GRIS DECOR

ARTFLOR GRIS

ARTFLOR BEIGE DECOR

ATRIUM GRIS DECOR











ARTFLOR BEIGE

ATRIUM GRIS
















600x600mm MATT FINISH MTA- Make to Available
This product is immediately available to order.

MT0- Make to Order
This product is made on order only.





















COCONINO BRIGHT





COCONINO LIGHT

COCONINO MOCHA

LINIOR CREMA









ALTAIE BUFF

SIERRA CREMA

ALTAIE CHOCO

ALTAIE GRIS



















600x600mm MATT FINISH

















NEW







IBERIAN ART DÉCOR 1

NEW



IBERIAN CREMA



IBERIAN TAUPE

IBERIAN CHOCO











IBERIAN SUNNY

IBERIAN AZULE

IBERIAN AZULE DÉCOR










VIBES BEIGE

VIBES BROWN

IBERIAN BIANCO DÉCOR








600x600mm MATT FINISH

















































TRAPO LIGHT

TRAPO DARK

ITALIO BEIGE

SWITZ IVORY

BLUE

KOTA GREEN














ANGEL LIGHT

ANGEL DARK





SOFIA MARBLE








600x600mm MATT FINISH

























PREMIO CREMA

PREMIO GRIS

PREMIO GRIGIO











PREMIO CHOCO

PREMIO MAPLE

PREMIO COTTO










PREMIO SLATE

PREMIO VERDE







SANDSTONE GREY










600x600mm MATT FINISH





























UNICO CREMA













UNICO NERO







UNICO BROWN





GILT SAND











600x600mm

MATT FINISH

MTA- Make to Available
This product is immediatel























APULIA ALMOND

APULIA WENGE

APULIA NERO









VEDIC BROWN

VEDIC ALMOND

VEDIC GRIS









ALEGRE WALNUT

SAPELE CREMA

SAPELE SILVER










ALEGRE CHOCO SAPELE RUST

SAPELE NERO








600x600mm MATT FINISH































NEOSTICK BEIGE

CHISEL WOOD

KENWOOD MAPLE

GREENHEART ALMOND

ZIGZIG PINE

GREENHEART BROWN

GREENHEART WENGE

















NEOSTICK BEIGE DECOR

CHEVRON APPLE

COCOA WENGE

CHISEL WOOD DECOR

KENWOOD BROWN











CHEVRON OAK

BOSCHI BROWN











PRESTIGE OAK








600x600mm MATT FINISH











































DREAM WOOD

ALASKA WOOD





WINDSOR BROWN DECOR





STRIP WOOD

66

MAHAGONY WOOD









PARETE WOOD

WOOD FUSION

14.

























HARLEY BEIGE

















ESPERIO BEIGE









ESPERIO BIANCO

ESPERIO GRIGIO



















195x1000mm MATT FINISH MTA- Make to Available
This product is immediately available to order.

MTO- Make to Order
This product is made on order only.















PIANTE JACKPINE GRIS





SCAN FOR VIRTUAL PIANTE CLOVE























PIANTE TEAK

SCAN FOR 2360°





195x1000mm MATT FINISH



















PIANTE ALMOND













PIANTE TRAVENTINO GRIS

PIANTE TRAVENTINO BEIGE









300x300mm MATT FINISH

IVORY

PLAIN COLOUR

PRINT

SCAN FOR 2360°

MTA- Make to Available
This product is immediately available to order.

MTO- Make to Order
This product is made on order only.

COSMOS WHITE

PRINT


PRINT


PRINT

DARK

COSMOS IVORY


COSMOS DARK BLUE




















5029





STEEL BROWN









PRINT

PRINT

SCAN FOR 2360





WHITE

PROVENZA BEIGE

IMPERIAL BLUE









PROVENZA GREY



MISTY BROWN







SCAN FOR 360°

IMPERIAL PINK



Technical Specification





600x1200mm HI-TECH TUFF GUARD DIGITAL TILES

CHARACTERISTICS	Requiremet as per ISO 13006:2018 0.5%< E ≤ 3.0 Group Blb	Requiremet as per IS 15622:2017 0.08%< E ≤ 3.0 Group Blb	MEAN VALUE OF AGL	METHOD OF TESTING			
Regulatory Properties							
Deviation In Length & Width	± 0.3%	± 0.1%	± 0.1%				
Deviation In Thickness	± 5.0%	± 5%	± 4.0%				
Straightness of Edge	± 0.3%	± 0.1%	± 0.1%				
Rectangularity	± 0.3%	± 0.1%	± 0.1%	ISO 10545-2 IS13630 -1			
Surface Flatness	± 0.4%	± 0.5%	± 0.2%				
Surface Quality	Minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles	Minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles	Minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles				
Physical & Thermal Properties							
Water Absorption % by Wt.	0.5% < E ≤ 3.0%, Individual Max 3.3%	Average 0.08% < E ≤ 3.0%, Individual 3.3% Max	< 3.0%	ISO 10545-3 IS13630-2			
MOR in N/mm2	Min 30, Individual Min. 27	Average 30, Ind Min. 27	Avg 32	ISO 10545-4 IS13630-6			
Breaking Strength in N	1100 Min for thickness ≥ 7.5mm	1100 Min for thickness ≥ 7.5mm	> 1300	ISO 10545-4 IS13630-6			
Bulk Density (gm/cc)	2.0 Min	2.0 Min	2.2	ISO 10545-3 IS13630-2			
Resistance to Surface abrasion	Report abrasion class and cycles passed	Class II, Min	Class III, Min	ISO 10545-7 IS13630-11			
Mohs Scratch Hardness	N/A	Min, 5	Min, 5	IS13630-13			
Co-efficient of Linear thermal expansion from ambient temp to 1000 C (K-1)	Test method available	7x10 ⁻⁶ Max	Max 6x10 ⁻⁶	ISO 10545-8 IS13630-4			
Thermal Shock Resistance	Test method available	10 Cycle Min	10 Cycle Min	ISO 10545-9 IS13630-5			
Moisture Expansion in mm/M	Test method available	0.02 Max	NIL	ISO 10545-10 IS13630-3			
Crazing Resistance	Required	4 Cycles at 7.5 Bar, Min	6 Cycle	ISO 10545-11 IS13630-9			
Impact Resistance	Test method available	0.55, Min	> 0.55	ISO 10545-5 IS13630-14			
Frost Resistance	Required	Required, if agreed to between manufacturer and purchaser	Frost Proof	ISO 10545-12 IS13630-10			
Chemical Properties		·					
Resistance to Staining of Glazed Tiles	Min. Class 3	Class 1, Min.	Class 1	ISO 10545-14 IS13630-8			
Resistance to Household and Swimming Pool Chemicals	Minimum B	Min. Class AA	Class AA	ISO 10545-13 IS13630-8			
Resistance to Acid & Alkalis (Except HF Acid)	Manufacturer is to State Classification	Class AA	Class AA	ISO 10545-13 IS13630-8			

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
600x1200mm	8.5 mm	27.0 kg.	2 pcs.	1.44m²

Technical Specification









	CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Blla 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr BIIa 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method			
(A) DI	MENSION & SURFACE QUALITY —							
]	Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1			
	Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1			
	Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1			
	Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1			
>	Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1			
•:	Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1			
(B) PH	HYSICAL & THERMAL PROPERTIES							
.	Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	4.0-5.5%	ISO 10545 Part-3 IS 13630 Part-2			
$\frac{\downarrow}{\uparrow\uparrow}$	Flexural Strength (MOR) In N/mm²	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 27 N/mm²	ISO 10545 Part-4 IS 13630 Part-6			
3	Breaking Strength in N	1000 N Min.	1000 N Min.	> 1200 N	ISO 10545 Part-4 IS 13630 Part-6			
0	Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	PEI III (Glossy) PEI IV & IV+(Matt)	ISO 10545 Part-7 IS 13630 Part-11			
$\overline{\longleftrightarrow}$	Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-1)	9x10 ⁻⁶ Max.	9x10 ⁻⁶ Max.	≤ 9X10 ⁻⁶	ISO 10545 Part-8 IS 13630 Part-4			
**	Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5			
6	Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3			
3	Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9			
樂	Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10			
*	Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 5	EN 101 IS 13630 Part-13			
(C) CH	HEMICAL PROPERTIES							
_S	Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8			
R	Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	IS 13630 Part-8 ISO 10545 Part-13 IS 13630 Part-8			
<u> </u>	Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8			

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box				
600x600mm	9.5 mm	27.5 kg.	04 pcs.	1.44m²				
195x1000mm	9.3 mm	19.5 kg.	05 pcs.	0.975m²				







	CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr BIIa 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr BIIa 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method				
(A) DI	MENSION & SURFACE QUALITY —								
<u>:</u>	Deviation In Length & Width	± 0.6%, ± 2.0 mm	± 0.4%	± 0.4%	ISO 10545 Part-2 IS 13630 Part-1				
	Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1				
	Straightness of Edge	± 0.5%, ± 1.5 mm	± 0.3%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1				
	Rectangularity	± 0.5%, ± 2.0 mm	± 0.3%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1				
>	Surface Flatness	± 0.5%, ± 2.0 mm	± 0.5%	± 0.4%	ISO 10545 Part-2 IS 13630 Part-1				
•:	Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	rom visible defects that vould impair the appearance would impair the appearance					
(B) Ph	HYSICAL & THERMAL PROPERTIES								
% .	Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	5.0-6.0%	ISO 10545 Part-3 IS 13630 Part-2				
$\frac{\downarrow}{\uparrow\uparrow}$	Flexural Strength (MOR) In N/mm²	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 25 N/mm²	ISO 10545 Part-4 IS 13630 Part-6				
	Breaking Strength in N	600 N Min.	600 N Min.	> 800 N	ISO 10545 Part-4 IS 13630 Part-6				
0	Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. III	ISO 10545 Part-7 IS 13630 Part-11				
$\overline{\leftrightarrow}$	Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-1)	9x10 ⁻⁶ Max.	9x10 ⁻⁶ Max.	≤ 9x10 ⁻⁶	ISO 10545 Part-8 IS 13630 Part-4				
**	Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5				
۵	Moisture Expansion in mm/M	Test Method Available	0.03 Max.	0.02 Max.	ISO 10545 Part-10 IS 13630 Part-3				
3	Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9				
*	Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10				
*	Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 4	EN 101 IS 13630 Part-13				
(C) CH	HEMICAL PROPERTIES —————								
s	Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8				
	Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8				
13	Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8				

**Not Applicable for structured Tiles

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box			
300x300mm (Unrectified)	7.2 mm	13.1 kg.	10 pcs.	0.90m²			

Technical Specification

Ceramic FLOOR TILES

	CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Blla 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr BIIa 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method				
(A) DI	MENSION & SURFACE QUALITY —								
1	Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1				
	Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1				
	Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1				
Ű	Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1				
>	Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.25%	ISO 10545 Part-2 IS 13630 Part-1				
•:	Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1				
(B) Ph	HYSICAL & THERMAL PROPERTIES								
.	Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	5.0-6.0%	ISO 10545 Part-3 IS 13630 Part-2				
$\frac{\downarrow}{\uparrow\uparrow}$	Flexural Strength (MOR) In N/mm²	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 25 N/mm²	ISO 10545 Part-4 IS 13630 Part-6				
3	Breaking Strength in N	1000 N Min.	1000 N Min.	> 1000 N	ISO 10545 Part-4 IS 13630 Part-6				
0	Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. III	ISO 10545 Part-7 IS 13630 Part-11				
$\overline{\longleftrightarrow}$	Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K ·)	9x10 ⁻⁶ Max.	9x10 ⁻⁶ Max.	≤ 9x10 ⁻⁶	ISO 10545 Part-8 IS 13630 Part-4				
端條	Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5				
6	Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3				
3	Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9				
*	Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10				
*	Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 4	EN 101 IS 13630 Part-13				
(C) CH	HEMICAL PROPERTIES —————								
_S	Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8				
I	Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8				
<u> </u>	Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8				

**Not Applicable for structured Tiles

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
397x397mm	8.0 mm	13.1 kg.	05 pcs.	0.79m²
397x397mm	8.0 mm	16.0 kg	06 pcs.	0.94m²

Notes & Recommendation



UNDERSTANDING ICONS

























APPLICATION



























NOTES

- All Technical Specifications in This Catalogue are for Premium Grade Material only.
- SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
- It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
- It is recommended to check the tiles before laying/fixing. Quality standards cover 1st/Premium Quality only.
- Company's liability is limited on material that has not been laid.
- NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.
- The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- No complaint is entertained on decoration done on tiles, other than the ones done by Asian Granito India Ltd.

GENERAL NOTE: Any complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

How to avoid defects & complaints :

- Use good quality Tiles
- Choose good quality Tiles, with proper consideration to area intended of usage.
- Avoid careless laying of Tiles
- $A void poor \ maintenance-for \ instance, \ by \ cleaning \ with \ strong \ Chemicals \ or \ with \ abrasive \ equipment \ e.g. \ metallic \ scrubber$
- Always keep Tiled area clean & ensure dusting/mopping regularly
- Put Doormats/Foot-mats at all strategic locations to avoid loose debris/dust from entering the Tiled area

List of Detergents For Removal of Stain

STAIN (Created By)	Beer	Blood	Calcar	Cement	Cigarette	Soft Drinks	Coffee	Edible Oil	Glue	Ice Cream	Ink	Juices	Marker Ink	Nicotine	Paints	Resin	Rust	Tar	Теа	Turmeric	Wine
SOLVENTS (Turpentine, acetone, trichloroety - line etc.)								•	•		•		•			•		•			
SODIUM HYPO (Chlorite (NaOCL)												•							•		
ACIDS DILUTED (Hydrochloric acid*)			•	•	•						•			•	•		•			•	
ALKALI (Sodium hydroxide/potassium hydroxide)	•	•				•	•			•											•

*Commercial grade shall not be used

 $DISCLAIMER: A sian \ Granito\ India\ Ltd.\ reserves\ the\ right to\ delete\ \&\ amend\ either\ totally\ or\ partially,\ any\ of\ the\ colors,\ shapes,\ sizes,\ and\ any\ of\ the\ colors,\ shapes,\ sizes,\ shapes,\ s$ references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow the resulting the resinstructions to avoid complaint due to bad masonry.



CORPORATE OFFICE & BRANCHES

DISPLAY CENTRE & OFFICE

Display Centre - Ahmedabad

AGL Luxury Tile Arcade

S.G. Highway, Nr. Gota Cross Road, Beside Gota over bridge, Ahmedabad - 382481. Mobile: 98258 03713 / 99099 29920

E-mail: asianworld.amd@aglasiangranito.com

AGL Export House - Morbi

Ch-5, Eden Ceramic City, Opp. Honest Hotel, National Highway, Lalpar Road Morbi - 363642.

Mobile: 99799 90591 E-mail: exportmorbi@aglasiangranito.com

Factory Display Centre - Morbi (Sanitaryware & Faucets)

AGL Sanitaryware Pvt. Ltd.

Survey No. 153 P1, 153 P2, 154 P2, 8A National Highway, B/h. Bahadurgadh Bus Stand, At. Bahadurgadh, Morbi-363642. Gujarat, India. Mobile: 11

E-mail: 11

MAHARASHTRA

AGL Display Centre - Mumbai

A- 402, Citi Point, Nr. kohinoor Hotel, Opp. ICICI Bank, J.B. Nagar, Chakala Metro Station, Andheri (East), Mumbai - 400 059. Mobile: 93214 95229

E-mail: mumbaishowroom@aglasiangranito.com

AGL Display Centre - Mumbai (Marblex & Grestek)

Gala Impecca, Gr. Floor, Mathuradas Vasanji Rd, Next to Caurtyard Marriott, J. B. Nagar, Kurla-Andheri Road, Andheri (East) - 400059

Mobile: 7600098595

AGL Display Centre - Pune

Capital Square, 1st & 2nd floor, Plot No.5, Nr. Laxminarayan Sweets, Industrial Estate, Mukund Nagar, Pune - 411037 Maharashtra. Mobile: 93717 65505



TELANGANA

AGL Display Centre - Hyderabad (Marblex & Grestek)

202 Kurve Elite, 2nd Floor, 8-3-833/58 & 47, Plot No. 58, Phase-1, Kamala Puri Colony Main Rd, Opp. Krishe Medows, Hyderabad-500073 Mobile: 96420 00336 / 77779 15632 E-mail: hydgvt1@aglasiangranito.com

AGL Display Centre - Hyderabad

8-2-294/82,Plot No. 39, Road No. 5, Jubileehills Land Mark, Near Venkatagiri Bustop. (Dominos Pizza) Metro Piller No.3, Hyderabad-500033 Mobile: 96420 11146 E-mail: hydshowroom@aglasiangranito.com

KARNATAKA

■ AGL Display Centre - Bangalore

Asian Granito India Ltd., Region Office Brahmananda Court, No.37/17, Nr. ICIC Bank, Lalbagh Road, Bangaluru - 560027 Karnataka Mobile: 81605 21204

E-mail: bangloreshowroom@aglasiangranito.com

KERALA

AGL Display Centre - Kochin

No.51/2910 D2 Adjacent To Bread World, Thykoodam Bridge Service Road, Vyttila Kochin - 682019 Mobile: 80866 61920 / 78618 09641 E-mail: cochinshowroom@aglasiangranito.com

WEST BENGAL

AGL Display Centre - Kolkata

5th Floor, Office No. 5A, PS SOLARIS Building, 113/H, Opp. Flaming Hospital. Matheswartala Rd. Topsia. Kolkata 7000046. Mobile: 85840 65565 E-mail: kolkattashowroom@aglasiangranito.com

UTTAR PRADESH

AGL Display Centre - Noida

F-15, Ground Floor, Sector 8, Gautam Buddha Nagar, Noida - 201301 Uttar Pradesh Mobile: 7861806229

202, Dev Arc, Opp. Iskcon Temple, S. G. Highway, Ahmedabad - 380 015 Gujarat (INDIA) Phone: +91 79 66125500/698 Toll Free: 1800 123 3455 E-mail: info@aglasiangranito.com

Corp. Office - Ahmedabad

ASIAN GRANITO INDIA LTD.

AGL Office - Morbi

OFFICE

GUJARAT

B - 26, Parshwanath Complex-1 Opp. kuber Cinema, 8-A National Highway, Lalpar Road, Morbi - 363642. Mobile: 9825802077 E-mail: aglmorbi@aglasiangranito.com

RAJASTHAN

AGL Office - Jaipur

Lower Ground, D-5, Vaishali Nagar, Jaipur, Rajasthan - 302021 Mobile: 80085 03660 / 93144 39930

MADHYA PRADESH

AGL Office - Indore

3rd Floor, Plot No 101, WB Scheme No. 94, Sector - B, Opp. HDFC Bank, Nr. Bombay Hospital, Indore - MP - 452010 Mobile: 99092 62533 / 73140 06670

TAMIL NADU

AGL Office - Trichy

Mark Diamond Residency, No-36, V O C Road, cantonment. Trichy - 620001 Mobile: 90161 13976

E-mail: acctsindore@aglasiangranito.com

AGL Office - Coimbatore

No .70, Dr. Alagappa Road, Tatabad. Coimbatore - 641 012 Mobile: 90161 13976

ODISHA

AGL Office - Odisha

Plot No-83/C, Jayadurga Nagar Bomikhal, Bomikhal, Cuttack-Puri Road, Bhubaneswar-751006 Mobile: 78618 09594 / 78944 35425

PUNJAB

AGL Office - Chandigarh

CCC Chandighar City Centre, Block A 3rd Floor, Soho 325, Vip Road, Near Metro Zirakpur, Chandigarh Punjab-140603 Mobile: 93163 13880 / 99882 22471







