



Tiles • Marble • Quartz • Bathware

### Asian Granito India Ltd.

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway,  
Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax: +91 79 66125600/66058672  
CIN: L17110GJ1995PLC027025

E-mail: info@aglasiangranito.com | Web: www.aglasiangranito.com

Follow Us: 1800 123 3455  
Toll-free: Mon-Sat 10am-6pm



Scan code to  
Download  
AGL Tiles App



Scan code to  
Download  
Catalogue



Scan to Find  
Exclusive  
Store




Scan code for  
360° Tour

MAY 2024



Premium  
*ka* Pappa



Seamless Style  
**ENDLESS** *Strength*

**GRANDURA** **V6**  
DIGITAL VITRIFIED TILES

**VITRIFIED EXTERIOR TILES**

**400x4000mm | 300x300mm**

# ABOUT US

At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to clock net consolidated turnover of ₹1562 Crores (US \$190 Million) in FY22-23, making us giant in the space décor industry. In the short span of 23 years, we are one of India's largest groups, with a global footprint across 100 countries. Today,

AGL has enhance its product range from Tile to Marble, Quartz and now in Bathware as well.

The research and development center at every AGL plant is well equipped with all the latest testing methods and the products are thoroughly tested for quality before delivery. It is ensured that every product matches the highest international quality standards.



# ADVANCE TECHNOLOGIES & KEY PROCESS



**14** ULTRA-MODERN MANUFACTURING UNITS IN INDIA\*

\* Including JVs and CMUs  
\*\* Includes contract labour



From ceramic tiles to latest Glazed Vitrified Tiles & Double Charge Vitrified Tiles; Roto Drum to New Digital Technology, AGL dominates the most diverse array of designs across the entire Tile, Marble & Quartz product range. Modernization plays a pivotal role for the company, which becomes evident from our 09 ultra modern plants across Gujarat. Spread over an area of 3,20,000 sqm these plants unfailingly produce unbeatable classy products every day. Therefore, we are proud to acquire the certifications from ISO and Green Building.

Asian Granito India Limited has debunked the myth that leadership in design is a forte only of foreign players by achieving the position through an ideal mix of creativity and technology. It has been the champion in introducing innovative digital printing technology with a technical collaboration with SACMI, Italy. A world-class Quality Management System has enabled us to build a portfolio that is truly avant-garde.

A : Latest Press with ultra modern feeder  
B : Digital Printing Technology -14 Unit  
C : World's Widest Kiln First in India  
D : Auto check of planarity & rectangularity of tiles  
E : Continua + latest press system from Sacmi, Italy

<b>54.5</b> Million sqm Production Capacity per Annum*	Consolidated Net turnover <b>₹1562</b> cr. (US \$190 million)	<b>1400+</b> Designs	<b>30+</b> Different sizes	<b>12</b> Display centres
<b>6000+</b> Employees Includes contract labour	<b>14</b> Manufacturing Units**	Exports in <b>100+</b> Countries	Trade network in <b>35</b> States & UTs of India	<b>235+</b> Showrooms
<b>11+</b> Digital Printing Technology	First to bring world's largest <b>5</b> line Kiln setup in India.	<b>1.4</b> Million+ Facebook followers	<b>1400+</b> Touch point	

GLOBAL  
PRESENCE IN  
OVER 100+  
COUNTRIES

YOUNGEST &  
FASTEST GROWING  
TILE COMPANY  
IN INDIA

LARGEST  
SINGLE  
LOCATION  
PLANT IN INDIA

ONE OF TOP 4  
LISTED CERAMIC  
TILES COMPANIES  
IN INDIA

# AWARDS AND RECOGNITION

Achievements of trusted and innovative brand in the ceramic industry

Today, AGL has been performed the best to give excellent product and services across the globe and in result, AGL has been recognized by top media houses like Readers' Digest, The Economic Times and Fortune India. AGL is certified with ISO 9001:2015 and ISO 14001:2015 for its quality management and environmental management system and also products are certified with CE standards.



AGL is now MEGA BRAND Recognition by ARCHITECTURE + DESIGN - 2016



ET INDUSTRY LEADERS 2021



Recognised as one of the Best Brand by The Economic Times -2022



Recognised as one of the Best Brand by The Economic Times -2023


# CERTIFICATIONS



ISO 9001 : 2015



ISO 9001 : 2015



BIS CERTIFIED



CE CERTIFIED



CERTIFIED TWO STAR EXPORT HOUSE



GRIHA CERTIFIED



IIID CERTIFIED



AWARDED FOR BRAND LEADERSHIP



IGBC CERTIFIED

## MANY NATIONAL & INTERNATIONAL PROJECTS

Today AGL is the preferred brand for several National & International Projects. We are partnering several private residential projects, commercial projects, showrooms, port authorities, religious centers, and international projects. Here are selected few of them:



Project : Cleveland Cycle Werks Showroom

## PRESTIGIOUS PROJECTS

### Government Projects



### Banks



### Corporates



### Builders



### Hospital



### Automobiles



### Telecom



### Multiplexes




### Hotels



### Apparel



### Eatery Brands



and many more ...



# OUR EXPERIENCE CENTRES

"Team AGL is making efforts to simplify product selections very nearer to you. Keeping in mind better service and easy access to AGL products, your company has opened world class display centres across various metro cities of India. These showrooms are avant-garde with contemporary product applications of Tiles, Marble, Quartz and its latest Bathware range of products. We are sure that your visit to AGL showroom definitely helps you in right product selection and leave long lasting impressions in your mind. Below are few glimpse over the showroom.



AHMEDABAD | MORBI | HIMATNAGAR | MUMBAI | BANGALURU  
 COCHIN | HYDERABAD | JAIPUR | DELHI | KOLKATA

**TOUGH AND RESILIENT WITH  
 TIMELESS AESTHETIC ELEGANCE**



Explore a resilient collection of tiles crafted to make your exterior spaces look and feel robust. The strength & sturdiness of the collection is unmatched & unbeatable in every sense.



Add grandeur and resilience to your spaces with robust surfaces rich in aesthetics & class-apart features. The surfaces are available in 600x600mm | 400x400mm | 300x300mm sizes, are long-lasting and durable, and add infinite possibilities to outdoor spaces with multiple designs and outstanding features.

**TILE FEATURES**

-  **HIGH DURABILITY**
-  **HYGIENIC SURFACES**
-  **LOW WATER ABSORPTION**
-  **NANO POLISHED**
-  **FLOOR TILES**
-  **FIRE RESISTANCE**
-  **EASY TO CLEAN**
-  **FROST RESISTANCE**
-  **STAIN RESISTANCE**
-  **EASY TO INSTALL**
-  **SCRATCH RESISTANCE**
-  **ECO FRIENDLY**


**Introducing New Sizes Soon**

- 600x600mm**  
12MM Thickness
- 1200x1600mm**  
9MM Thickness
- 800x2600mm**  
15MM Thickness
- 1200x2800mm**  
6MM Thickness

## SOLAR REFLECTIVE ROOF TILES



**STAY COOL  
INSIDE YOUR  
HOME!!!**



ECO WHITE

Available size:  
**300x300mm**



Saving of  
electricity



Heavy Duty Vitrified



Anti Skid, Anti Bacterial,  
Stain Resistance



No Algae  
fungal growth



Reduce surface temperature  
by 4 to 5 degree Celsius

**01** SRI (Solar Reflective Index) measure a roof's ability to reject solar heat (reflectance) and the ability to emit heat out (emitances).

**02** Eco white reflects and emit the sun heat instead of absorbing it.

**03** Eco white is one that reflects the sun's heat and emits absorbed radiation back in to the atmosphere. This will keep the inside building cooler.

**04** The U.S green building councils LEED 2.2 user SRI as a way to evaluate a eco white. To get LEED accreditation, building should use a roof with minimum SRI value of 78.

**05** Eco white tile on the roof of a building can reduce inside building temperature by low degree centigrade.




ECO WHITE

400x400mm



**MTA - Make to Available**  
This product is immediately available to order.

**MTO - Make to Order**  
This product is made on order only.




NULUXE GRIS DECOR



MTA



SCAN FOR VIRTUAL




NULUXE GRIGIO DECOR



MTA



SCAN FOR VIRTUAL




NULUXE BEIGE DECOR



MTA




SCAN FOR VIRTUAL



NULUXE GRIS




MTA



NULUXE GRIS



MTA



NULUXE CREMA




MTA



NOVART GRIGIO DECOR



NOVART GRIS



NOVART GREY




MTA




SCAN FOR VIRTUAL



NOVART COLOR DECOR



NOVART BEIGE



NOVART BROWN



MTA



SCAN FOR VIRTUAL



NULUXE GREY



MTA



NULUXE GREY



MTA



NULUXE BEIGE



MTA



OLYMPIA ARTE



OLYMPIA GRIS




OLYMPIA GRIGIO



MTA




SCAN FOR VIRTUAL



NULUXE GRIGIO



MTA



NULUXE GRIGIO



MTA



NULUXE BROWN



MTA




400x400mm




**MTA - Make to Available**  
This product is immediately available to order.

**MTO - Make to Order**  
This product is made on order only.




VELVETE GRIGIO DECOR




FOGLIA MUSHROOM DECOR



VELVETE BROWN DECOR



TERRAZON BIANCO



TERRAZON BEIGE



TERRAZON BROWN




VELVETE GRIGIO



FOGLIA MUSHROOM




VELVETE BROWN



TERRAZON NERO



DESTREZA CHOCO DECOR



HEXARTE NERO



DESTREZA CHOCO



HEXARTE NERO DECOR-1



400x400mm



MTA - Make to Available  
This product is immediately available to order.

MTO - Make to Order  
This product is made on order only.




BENZIL DECOR



ALBERT DECOR



ROOST DECOR



BENZIL STONE




ALBERT STONE



ROOST STONE



GRIPSTONE BEIGE



DERIO CHARCOLE




DERIO BEIGE



GRIPSTONE BRUNO



DERIO NERO



DERIO BROWN



ULTRA SLATE



BRICKSO SLATE



BRICKSO STONE



KYORO GRIS



KYORO BEIGE




ESLATO BEIGE




RUSTYZE FUSION



BRICKSO BROWN



KYORO GRIGIO



KYORO BROWN



ESLATO BROWN


400x400mm




MTA - Make to Available  
This product is immediately available to order.



MTO - Make to Order  
This product is made on order only.




ARMANIO BROWN



ARMANIO SHINE



TIMWOOD BROWN



# ROCTON HOTEL



400x400mm



MTA - Make to Available  
This product is immediately available to order.



MTO - Make to Order  
This product is made on order only.



EMINEM STONA



PEBBLEW STONA



TIJLOS GRASS



PEBBLEW SLATE



STRIPEO MAHAGONY



PEBBLEW GRIGIO



400x400mm



MTA - Make to Available  
This product is immediately available to order.




MTO - Make to Order  
This product is made on order only.




ANCHORE GRASS





ANCHORE GRIS



PEBBLON GRIS



PEBBLON BROWN



400x400mm



MTA - Make to Available  
This product is immediately available to order.



MTO - Make to Order  
This product is made on order only.



BATHWALK FUSION



SCAN FOR VIRTUAL



BATHWALK RUSTY



SCAN FOR VIRTUAL




BATHWALK WOOD



SCAN FOR VIRTUAL



WOODY BROWN



SCAN FOR VIRTUAL



WOODY BLUE



SCAN FOR VIRTUAL




400x400mm




**MTA - Make to Available**  
This product is immediately available to order.


**MTO - Make to Order**  
This product is made on order only.




TURFTILE WOOD



SCAN FOR VIRTUAL




ARCAVE BROWN



SCAN FOR VIRTUAL



TURFTILE STONES



SCAN FOR VIRTUAL



CENTRIO ORANGE



SCAN FOR VIRTUAL



TURFTILE SANDSTONE




SCAN FOR VIRTUAL






BONITO LIGHT PLUS



BONITO DARK PLUS



MOSAIC EARTH PLUS



300x300mm

MTA- Make to Available  
This product is immediately available to order.

MTO- Make to Order  
This product is made on order only.



VERTIC GREY



ROCKSCAPE GREY PLUS



ROCKSCAPE BROWN PLUS



DOLOROSA COTTO PLUS




CLASSY GREY PLUS



CLASSY BLUSH PLUS



CLASSY WOOD PLUS



CLASSY SAND PLUS



HOLZ SLATE PLUS



300x300mm



MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt



Floor



RODIZ BLUSH PLUS



RODIZ CHOCO PLUS



RODIZ PISTA PLUS



RODIZ BROWN PLUS



RODIZ BLUE PLUS



PETRA BEIGE PLUS



PETRA GREY PLUS



PETRA SLATE PLUS






GRANO WHITE PLUS



GRANO GREY PLUS



GRANO BLUE PLUS



GRANO CEMENT PLUS



RUSTICO GREY PLUS



RUSTICO NERO PLUS



RUSTICO CREMA PLUS




RUSTICO BEIGE PLUS




300x300mm

MTA- Make to Available  
This product is immediately available to order.


MTO- Make to Order  
This product is made on order only.



GEOSAND GRIS PLUS



GEOSAND GREY PLUS



GEOSAND BROWN PLUS





MTA- Make to Available  
This product is immediately available to order.




MTO- Make to Order  
This product is made on order only.

**Grandura**  
Vitrified Exteriors  
300x300mm



BEIGE




BULLET BEIGE




GRIT BEIGE




ROSA



BULLET ROSA



GRIT ROSA



300x300mm



MTA- Make to Available  
This product is immediately available to order.




MTO- Make to Order  
This product is made on order only.



Matt


Floor




BLOCKS BEIGE



CURVY BEIGE




TINT BEIGE



BLOCKS ROSA




CURVY ROSA



TINT ROSA



TABULA BEIGE



TABULA ROSA



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr BlA E ≤ 0.5%	Requirement as per IS 15622:2017 Gr BlB 0.08 ≤ E ≤ 3.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
Solar Reflectance Index (SRI)			Min 75	
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	≤ 0.5, Ind. 0.6 Max.	0.08 ≤ E ≤ 3.0, Ind. 3.3 Max.	≤ 0.5%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 30, Ind. Min. 27	Avr. 30, Ind. Min. 27	≥ 35 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1300 N Min.	1100 N Min.	> 1800 N	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.0 Min.	≥ 2.2	ISO 10545 Part-3 IS 13630 Part-2
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min	Min PEI IV	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K <sup>-1</sup> )	9x10 <sup>-6</sup> Max.	7x10 <sup>-6</sup> Max.	≤ 6x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycle Min.	10 Cycle Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycle at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	≥ 7	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
300x300mm	9mm	14	08 pcs.	0.72m <sup>2</sup>

**CEPT Research and Development Foundation,  
CEPT University**

Test Report for Solar Reflectance Index (SRI)

ULR-TC70201800000012F

Report No: CRDF/RPT/SRI/391

Report Date: 26<sup>th</sup> October 2018

**3. Results of the measurement:**

**Solar Direct Reflectance**

Sample name	Sample ID	Measurement 1	Measurement 2	Measurement 3	Average
Parking Floor Tiles	SRI/10/18/1392	0.7067	0.7091	0.7083	0.7080

**Emissivity**

Sample name	Sample ID	Measurement 1	Measurement 2	Measurement 3	Average
Parking Floor Tiles	SRI/10/18/1392	0.918	0.919	0.919	0.919

**Solar Reflectance Index (SRI) under different wind conditions**

Sample name	Sample ID	Solar Reflectance Index (SRI)		
		Low Wind (h <sub>c</sub> =5 W m <sup>-2</sup> K <sup>-1</sup> )	Medium Wind (h <sub>c</sub> =12 W m <sup>-2</sup> K <sup>-1</sup> )	High Wind (h <sub>c</sub> =30 W m <sup>-2</sup> K <sup>-1</sup> )
Parking Floor Tiles	SRI/10/18/1392	87	87	88

**Surface Temperature (T<sub>s</sub>) under different wind conditions**

Sample name	Sample ID	Surface Temperature (°C)		
		Low Wind (h <sub>c</sub> =5 W m <sup>-2</sup> K <sup>-1</sup> )	Medium Wind (h <sub>c</sub> =12 W m <sup>-2</sup> K <sup>-1</sup> )	High Wind (h <sub>c</sub> =30 W m <sup>-2</sup> K <sup>-1</sup> )
Parking Floor Tiles	SRI/10/18/1392	56.5	49.4	43.2

**4. Certificate of Accuracy:**

This is to certify that the test results herein presented are, to the best of my knowledge, true and accurate representations of the samples submitted.



*Jigar Patel*

Jigar Patel  
Lab. Technician

*Yashkumar Shukla*  
Yashkumar Shukla  
Technical Director

**Disclaimer:**

- The CEPT Research and Development Foundation, CEPT University is not responsible for any kind of alterations in the physical property of the sample and the customer is solely responsible for it and its consequences.
- Result relates to the sample tested only. Sample will be destroyed after 7 days of issue of the report unless specified by the customer.
- Any complains about this report should be communicated in writing within 7 days of issue of the report.
- The test report shall not be reproduced fully or partially or in parts and cannot be used as an evidence in a court of law and shall be used in advertising media without written approval of Director, CEPT Research and Development Foundation, CEPT University.

CEPT Research and Development Foundation, CEPT University, K. L. Campus, Navrangpura, Ahmedabad- 380 009.  
Phone No: 079-26302470- Extn: 383, 26302740 Fax: +91 79 26302075. Email: ashajoshi@cept.ac.in  
Page 2 of 2

F/TR/01/SRI, ISSUE No. 6



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Bla E ≤ 0.5%	Requirement as per IS 15622:2017 Gr Blb 0.08 ≤ E ≤ 3.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1

<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	≤ 0.5, Ind. 0.6 Max.	0.08 ≤ E ≤ 3.0 Ind. 3.3 Max.	≤ 0.5	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 30, Ind. Min. 27	Avr. 30, Ind. Min. 27	≥ 35 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1300 N Min.	1100 N Min.	> 1800 N	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.0 Min.	≥ 2.2	ISO 10545 Part-3 IS 13630 Part-2
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min	Min. PEI IV	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K <sup>-1</sup> )	9x10 <sup>-6</sup> Max.	7x10 <sup>-6</sup> Max.	≤ 6x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycle Min.	10 Cycle Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycle at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	≥ 7	EN 101 IS 13630 Part-13

<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
400x400mm (Grandura+)	12 mm	19.5 kg.	05 pcs.	0.80m <sup>2</sup>
300x300mm (Grandura+)	9 mm	14.5 kg.	08 pcs.	0.72m <sup>2</sup>
300x300mm (Grandura)	9 mm	17.5 kg.	10 pcs.	0.90m <sup>2</sup>



UNDERSTANDING ICONS



APPLICATION



NOTES

- All Technical Specifications in This Catalogue are for Premium Grade Material only.
  - SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
  - It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
  - It is recommended to check the tiles before laying/fixing. Quality standards cover 1st/Premium Quality only.
  - Company's liability is limited on material that has not been laid.
  - NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.
  - The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
  - No complaint is entertained on decoration done on tiles, other than the ones done by Asian Granito India Ltd.
- GENERAL NOTE : Any complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

How to avoid defects & complaints :

- Use good quality Tiles
- Choose good quality Tiles, with proper consideration to area intended of usage.
- Avoid careless laying of Tiles
- Avoid poor maintenance-for instance, by cleaning with strong Chemicals or with abrasive equipment e.g. metallic scrubber
- Always keep Tiled area clean & ensure dusting/mopping regularly
- Put Doormats/Foot-mats at all strategic locations to avoid loose debris/dust from entering the Tiled area

List of Detergents For Removal of Stain

STAIN (Created By)	Beer	Blood	Calcar	Cement	Cigarette	Soft Drinks	Coffee	Edible Oil	Glue	Ice Cream	Ink	Juices	Marker Ink	Nicotine	Paints	Resin	Rust	Tar	Tea	Turmeric	Wine
SOLVENTS (Turpentine, acetone, trichloroety - line etc.)								•	•		•		•			•					
SODIUM HYPO (Chlorite (NaOCL))												•							•		
ACIDS DILUTED (Hydrochloric acid*)			•	•	•						•			•	•		•			•	
ALKALI (Sodium hydroxide/potassium hydroxide)	•	•				•	•			•											•

\*Commercial grade shall not be used

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.

## CORPORATE OFFICE & BRANCHES

### DISPLAY CENTRE & OFFICE

#### GUJARAT

■ **Display Centre - Ahmedabad**  
**AGL Luxury Tile Arcade**  
 S.G. Highway, Nr. Gota Cross Road,  
 Beside Gota over bridge, Ahmedabad - 382481.  
 Mobile: 98258 03713 / 99099 29920  
 E-mail: asianworld.amd@aglasiangranito.com

■ **AGL Export House - Morbi**  
 Ch-5, Eden Ceramic City,  
 Opp.Honest Hotel, National Highway,  
 Lalpar Road Morbi - 363642.  
 Mobile: 99799 90591  
 E-mail: exportmorbi@aglasiangranito.com

■ **Factory Display Centre - Morbi**  
**(Sanitaryware & Faucets)**  
**AGL Sanitaryware Pvt. Ltd.**  
 Survey No. 153 P1, 153 P2, 154 P2, 8A National  
 Highway, B/h. Bahadurgadh Bus Stand,  
 At. Bahadurgadh, Morbi-363642. Gujarat, India.  
 Mobile: 11  
 E-mail: 11

#### MAHARASHTRA

■ **AGL Display Centre - Mumbai**  
 A- 402, Citi Point, Nr. kohinoor Hotel,  
 Opp. ICICI Bank, J.B. Nagar,  
 Chakala Metro Station, Andheri (East),  
 Mumbai - 400 059.  
 Mobile: 93214 95229  
 E-mail: mumbaishowroom@aglasiangranito.com

■ **AGL Display Centre - Mumbai**  
**(Marblex & Grestek)**  
 Gala Impecca, Gr. Floor, Mathuradas VasANJI Rd,  
 Next to Courtyard Marriott, J. B. Nagar,  
 Kurla-Andheri Road, Andheri (East) - 400059  
 Mobile : 7600098595

■ **AGL Display Centre - Pune**  
 Capital Square, 1st & 2nd floor, Plot No.5,  
 Nr. Laxminarayan Sweets, Industrial Estate,  
 Mukund Nagar, Pune - 411037 Maharashtra.  
 Mobile : 93717 65505



Scan for  
360° Tour

#### TELANGANA

■ **AGL Display Centre - Hyderabad**  
**(Marblex & Grestek)**  
 202 Kurve Elite, 2nd Floor, 8-3-833/58 & 47,  
 Plot No. 58, Phase-1, Kamala Puri Colony Main Rd,  
 Opp. Krishe Meadows, Hyderabad-500073  
 Mobile: 96420 00336 / 77779 15632  
 E-mail: hydgtv1@aglasiangranito.com

■ **AGL Display Centre - Hyderabad**  
 # 8-2-294/82, Plot No. 39, Road No. 5,  
 JubileeHills Land Mark, Near Venkatagiri Bustop.  
 (Dominos Pizza) Metro Piller No.3,  
 Hyderabad-500033  
 Mobile: 96420 11146  
 E-mail: hydshowroom@aglasiangranito.com

#### KARNATAKA

■ **AGL Display Centre - Bangalore**  
**Asian Granito India Ltd., Region Office**  
 Brahmananda Court, No.37/17, Nr. ICIC Bank,  
 Lalbagh Road, Bangaluru - 560027 Karnataka  
 Mobile: 81605 21204  
 E-mail: bangloreshowroom@aglasiangranito.com

#### KERALA

■ **AGL Display Centre - Kochin**  
 No.51/2910 D2 Adjacent To Bread World,  
 Thykoodam Bridge Service Road,  
 Vyttila Kochin - 682019  
 Mobile: 80866 61920 / 78618 09641  
 E-mail: cochinshowroom@aglasiangranito.com

#### WEST BENGAL

■ **AGL Display Centre - Kolkata**  
 5th Floor, Office No. 5A, PS SOLARIS Building,  
 113/H, Opp. Flaming Hospital. Matheswartala Rd.  
 Topsia. Kolkata 7000046.  
 Mobile: 85840 65565  
 E-mail: kolkattashowroom@aglasiangranito.com

#### UTTAR PRADESH

■ **AGL Display Centre - Noida**  
 F-15, Ground Floor, Sector 8,  
 Gautam Buddha Nagar,  
 Noida - 201301 Uttar Pradesh  
 Mobile: 7861806229

### OFFICE

#### GUJARAT

■ **Corp. Office - Ahmedabad**  
**ASIAN GRANITO INDIA LTD.**  
 202, Dev Arc, Opp. Iskon Temple,  
 S. G. Highway, Ahmedabad - 380 015  
 Gujarat (INDIA)  
 Phone: +91 79 66125500/698  
 Toll Free: 1800 123 3455  
 E-mail: info@aglasiangranito.com

■ **AGL Office - Morbi**  
 B - 26, Parshwanath Complex-1  
 Opp. kuber Cinema, 8-A National Highway,  
 Lalpar Road, Morbi - 363642.  
 Mobile: 9825802077  
 E-mail: aglmorbi@aglasiangranito.com

#### RAJASTHAN

■ **AGL Office - Jaipur**  
 Lower Ground, D-5, Vaishali Nagar,  
 Jaipur, Rajasthan - 302021  
 Mobile: 80085 03660 / 93144 39930

#### MADHYA PRADESH

■ **AGL Office - Indore**  
 3rd Floor, Plot No 101, WB Scheme No. 94,  
 Sector - B, Opp. HDFC Bank, Nr. Bombay Hospital,  
 Indore - MP - 452010  
 Mobile: 99092 62533 / 73140 06670  
 E-mail: acctindore@aglasiangranito.com

#### TAMIL NADU

■ **AGL Office - Trichy**  
 Mark Diamond Residency, No-36,  
 V O C Road, cantonment. Trichy - 620001  
 Mobile: 90161 13976

#### AGL Office - Coimbatore

No .70, Dr. Alagappa Road, Tatabad.  
 Coimbatore - 641 012  
 Mobile: 90161 13976

#### ODISHA

■ **AGL Office - Odisha**  
 Plot No-83/C, Jayadurga Nagar Bomikhal,  
 Bomikhal, Cuttack-Puri Road,  
 Bhubaneswar-751006  
 Mobile: 78618 09594 / 78944 35425

#### PUNJAB

■ **AGL Office - Chandigarh**  
 CCC Chandigarh City Centre, Block A 3rd Floor,  
 Soho 325, Vip Road, Near Metro Zirakpur,  
 Chandigarh Punjab-140603  
 Mobile : 93163 13880 / 99882 22471

