



 **JOHNSON<sup>®</sup>TILES**  
NOT JUST TILES, LIFESTYLES.<sup>®</sup>

## FLOOR TILE COLLECTION

Elite Plus, Elite & Basic

60x60cm, 40x40cm & 30x30cm

# JOHNSON





# FLOOR TILES COLLECTION

## Johnson Tiles - Durable & Classy

Johnson ceramic floor tiles offer the most comprehensive selection of quality tiles suitable for a wide range of interior styles and uses. Johnson ceramic tiles are available in a variety of sizes, colors, looks and finishes like high glossy, polished, rustic, matt.

This catalogue showcases some of our finest collection of floor tiles in sizes of

**Floor: 60x60, 40x40, 30.6x30.6 & 30x30 cm**

Ever evolving and ever inspiring, the collection will leave you spoilt for choice. The collection will lend unparalleled aesthetic appeal to your interior spaces.







**DMEX**

# FLOOR

---

## 60x60 cm

High Glossy	06
Polished	08
Matt Rustic	14
SSR (Matt)	16
Antiskid	20
Matt	22

## 40x40 cm

Print/Plain	36
-------------	----

## 30.6x30.6 cm

Plain - Glossy	38
Plain - Matt	38
Quartz - Matt	38

## 30x30 cm

Matt (Plain/Stride)	40
Matt (Rectified)	42
Matt (10mm HT)	44

Technical Details	48
-------------------	----

Contact Details	51
-----------------	----






CRYSTAL AZURE



EMPERADOR CLASSIK



FOREST MOCCA



NOVEL INDIGO



TALATHE COCAO



TIGER NATURA



TIGER NEPTUNE








ALABASTO GREY



BIANCA MARBELLA




BRONZE AGATES



CARRARA CRESTALO



CHURCHIL CREMA



CLASSIC BLANCO



CLASSIC MARFIL



CRACKLED DIANA



CUSTOS CREMA









DAZZLE BEIGE



DIOR DYNA



DOLOMITE ROCK



EMPERADOR GOLDVEIN



FEAZE BLUE



FERRIER GREY



HALTON CREMA



HAWAII BEIGE




HAWAII OAT





IBIZA BLANCO



INDIGO AGATES



LORRAINE WHITE



ROYAL DIANA CREMA



SANDSTONE PLUSH



SANTER GOLD



SATUARY NATURAL



SILVER CRUST



STATUAR RIETTO





STONEMAX CREAMA



TRAVERTINE BRONZE









MODISH COTTO




MODISH MARBLE ASH



MODISH MARBLE BEIGE



MODISH MARBLE UMBER



MODISH TRENDZ BEIGE







BERMUDA ROSE



BOATWOOD SEPIA RUST



BRICH WOOD



EAGAN ROSE



HONEY WOOD



OPERA BURNET



PINO



PINOLET



PLANK NATURA







PLANKET REDWOOD



PLANKET WENGE



PUZZLES WOOD BRZ



REGENT GRIS



RIO WOOD DÉCOR



TIMBER



TIMBER BOLT



TORRENCE ASHWOOD




TORRENCE BEIGE





CHALK ASH




CHALK GRIS



CORUS ASH



CORUS BRN



CORUS COFFEE



MONARCH STONE



SANDUNE BEIGE



SANDUNE CREMA




SANDUNE GREY




DAZZLE CARAMEL




DAZZLE CITRINE




DAZZLE JASPER




DAZZLE NERO




DAZZLE PEARL



DAZZLE SAPHIRE



DAZZLE SMOKEY



DAZZLE SNOW









ABACHI WOOD\*



ACRILL WOOD BROWN



ASTLEY WOOD WENGE



BATTEN WENGE



CONIFER TEMPERATE



CYPRESS WOOD



NIETO WOOD CREMA



TEAK GRID



TORTON WOOD







TROPICAL WOOD



WOOD STRIPES MIX




ABBINETT BEIGE



ABBINETT CHOCO



ARBESCATO GOLD



ARBESCATO WHITE



AUREA GRIS



AUREA IVY



AUREA OCHRE





AUREA SILVER



AUREA WHITE



BASS WOOD BROWN



BELSTEN BROWN



BELSTEN CHOCO



BELSTEN MIX



CAIRO



CIMMERIAN BEIGE\*



CIMMERIAN BROWN\*



CIMMERIAN CHOCO\*



CIMMERIAN COTTO\*



CIMMERIAN DARK BLUE\*



CIMMERIAN DARK GREEN\*



CIMMERIAN GOLD\*



CIMMERIAN GRIS\*



CIMMERIAN IVORY\*



CIMMERIAN NERO\*



CIMMERIAN WHITE\*






CLOUDY SQUARE




COLABA COFFEE



DARTER ASH



DARTER BEIGE



DARTER BIANCO




DARTER BLUE



DARTER BRUNO




DARTER COFFEE



DARTER CREMA



DARTER FOSSIL




DARTER GREY




DARTER IVORY



DARTER NEON



DARTER SNOW



DARTER VERDE



DIVIAN ASH




DUKE WOOD BROWN



DUKE WOOD CHOCO









ELMIA CHOCO




ELVER CREMA



ELVER WOOD BROWN



EXOTIC NERO




FELTER WOOD BROWN



GEOMET MIX WOOD



HAMMER BRUNO



HARBON BLUE



HAVEN WOOD





KASHMIRA GREY



KASHMIRA WOOD




KATIE CREMA



KITTS WOOD BEIGE



MACHEN BROWN



MODISH TRENDZ GREY



NEURON DECOR




NEW PLANK NATURAL



NOVAZ BEIGE



NOVAZ BRUNO




NOVAZ GRAPHITE



NOVAZ GRIS



NOVAZ MOCHA



NOVAZ SMOKE



ORCHIN CREMA



ORCHIN GREY



OXFORD MARMOL



RUST ASH





RUST BLUE



RUST COPPER



RUST CREMA



RUST GOLDEN




RUST GREY




RUST NERO



RUST SMOKY



RUST SNOW



STEEL CUTS




SUNIX GREY\*



SUNIX MOCHA\*




SUNIX TAUPE\*



TAGUAN GREY\*



TIMBER BANDS



WOOD CUTS



WOODEN BLISS







ANCARA IVORY BROWN



ANCARA WHITE GREY



CARLOS IVORY BROWN GREY



IRIS IVORY BROWN




NEVADA IVORY BROWN




SWIFT WHITE BEIGE



DERBY BROWN



IVORY



WHITE





**PLAIN - GLOSSY**




BLACK GRANITE



RED GRANITE


**PLAIN - MATT**




ALPINE BLUE



DERBY BROWN



IVORY



WHITE

**QUARTZ - MATT**



QUARTZ BLUE




QUARTZ GY



QUARTZ IV



QUARTZ TAT



QUARTZ WH







PLAIN DYNA



STRIDE DYNA




PLAIN GOLDENJET



STRIDE GOLDENJET




PLAIN GRANITO



STRIDE GRANITO



PLAIN GRIT



STRIDE GRIT



PLAIN JET



STRIDE JET




PLAIN PINE



STRIDE PINE




PLAIN VEINETBLACK




STRIDE VEINETBLACK




PLAIN WALNUT



STRIDE WALNUT



PLAIN WENGE



STRIDE WENGE








DUAL QUARTZ BERRY



DUAL QUARTZ CARAMEL



DUAL QUARTZ CREAM



DUAL QUARTZ NAVY




DUAL QUARTZ NERO




DUAL QUARTZ OYSTER



DUAL QUARTZ WALNUT



RAINDROP BLUE CUBE



RAINDROP PINK CUBE



RAINDROP WHITE CUBE



WHITE RAIN DROPS







COMB COTTO MIX



COMB TREND



COMB WOODY MIX



FRAME EARTH MIX



FRAME NOIR



FRAME SKY



FRAME UMBER



FRAME WOODY



KIMONO BRUNO ART



KIMONO LINEAR




KIMONO TREND



OBLIQUE MIX







OBLIQUE RUST



OBLIQUE SAND



OBLIQUE TREND



OBLIQUE WOOD



POLY FOG



POLY MIX



ROCX BRUNO



ROYALON BLISS



ROYALON TEAK



ROYALON TERRAZO



ROYALON WOODY



RUBBLE GRAVELLA





RUBBLE STONE MIX



RUSK CIDER



TANGLE ASH



ZIGBLOC ASH ART



ZIGBLOC EARTH ART

## TECHNICAL SPECIFICATIONS

S. No.	Property	ISO 13006:2018 / EN 14411 Group B1b Requirement	IS - 15622:2017 Group B1b	Johnson Ceramic Floor (Polished)	Test Method
i)	<b>Dimensions &amp; Surface Quality</b>	whichever is less applicable. Rectified	Rectified		
1	Deviation in Length & Width	± 0.3% or ± 1.0mm	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
2	Deviation in Thickness	± 5% or ± 0.5mm	± 5%	± 4%	
3	Straightness of Sides	± 0.3% or ± 0.8mm	± 0.1%	± 0.1%	
4	Rectangularity	± 0.3% or ± 1.5mm	± 0.1%	± 0.1%	
5	Surface Flatness	± 0.4% or ± 1.8mm	± 0.5%	± 0.3%	
6	Surface Quality	Min 95%	Min 95%	Min 95%	
ii)	<b>Physical Property</b>				
7	Water Absorption	0.5% < E ≤ 3,	0.08% < E ≤ 3, Individual 3.3 max	2-3%	ISO 10545-3 / IS 13630-2
8	Scratch hardness of surface (Moh's scale)	-	≥ 5	≥ 5	IS 13630 part 13
9	Flexural Strength (Average MOR)	≥ 30N/mm <sup>2</sup> , Individual 27 min	≥ 30N/mm <sup>2</sup> , Individual 27 min	≥ 33N/mm <sup>2</sup>	ISO 10545-4 / IS 13630-6
10	Breaking Strength	≥ 1100N	≥ 1100N	≥ 1200 N	ISO 10545-4 / IS 13630-6
11	Impact Resistance	Report value	≥ 0.55	≥ 0.55	ISO 10545-5 / IS 13630-14
12	Crazing Resistance	Report cycle	4 cycles	No Damage	ISO 10545-11 / IS 13630-9
13	Surface Abrasion Resistance (PEI Rating)	Report abrasion class	Class II, Min	Min PEI III - IV	ISO 10545-7 / IS 13630-11
14	Skid Resistance (Coefficient of Friction )	NA	Manufacturer to declare	0.3 to 0.5	ISO 10545-17 / ANSI A 326.3
15	Bulk Density in (g/cc)	≥ 2.0	≥ 2.0	≥ 2.0	ASTM C373-16 / IS 13630-2
16	Moisture expansion	Manufacturer to declare	Max 0.02 mm/m	≤ 0.02 mm/m	IS 13630-part 3 / ISO 10545-10
17	Frost Resistance	Manufacturer to declare	Manufacturer to declare	No damage	ISO 10545-12 / IS 13630-10
18	Color Resistance to UV light	Report result	Report result	No change in color	DIN 51094
iii)	<b>Chemical Property</b>				
	Resistance to Chemicals				
19	a) Resistance to Low concentrations of acids & alkalies	Report resistance class	Report resistance class	GLA	ISO 10545-13 / IS 13630-8
	b) Resistance to High concentrations of acids & alkalies	Report resistance class	Report resistance class	GLA	
	c) Resistance to household chemicals and swimming pool salts	Min B	AA min	B( ISO )/AA(BIS)	
20	Stain Resistance	Min Class 3	Class 1, Min	Class 3 (ISO) / Class 1 ( IS )	ISO 10545-14 / IS 13630-8
iv)	<b>Thermal Properties</b>				
21	Linear Thermal Expansion	Report value	≤ 7 x 10 <sup>-6</sup> K <sup>-1</sup>	≤ 7 x 10 <sup>-6</sup> K <sup>-1</sup>	ISO 10545-8 / IS 13630-4
22	Thermal shock resistance	-	10 Cycle, Min	10 Cycle, Min	ISO 10545-9 / IS 13630 -5

# Ramp Test: Suitable for all kind of surfaces (Plain, structural..etc)

# Slider (BOT-3000E Digital Tribometer): suitable for plain/smooth surface and not working for structural/profiled surface



## TECHNICAL SPECIFICATIONS

S. No.	Property	International Standard ISO 13006 / EN 14411 Group BIIa Requirement	Indian Standard IS 15622:2017 Group BIIa Requirement	Johnson Ceramic Floor Value (Unrectified)	Test Method
i)	Dimensions & Surface Quality		Unrectified edge		
1	Deviation in Length & Width	± 0.6% or ± 2.0mm	± 0.4 %	± 0.4 %	ISO 10545-2 / IS 13630-1
2	Deviation in Thickness	± 5% or ± 0.5mm	± 5 %	± 4 %	ISO 10545-2 / IS 13630-1
3	Straightness of Sides	± 0.5% or ± 1.5mm	± 0.3 %	± 0.2 %	ISO 10545-2 / IS 13630-1
4	Rectangularity	± 0.5% or ± 2.0mm	± 0.3 %	± 0.3 %	ISO 10545-2 / IS 13630-1
5	Surface Flatness (Center Curvature, Edge Curvature & Warpage)	± 0.5% or + 2.0mm	± 0.5 %	± 0.3 %	ISO 10545-2 / IS 13630-1
6	Surface Quality	Min 95% free from visible defects	Min 95% free from visible defects	> 95% free from visible defects	ISO 10545-2 / IS 13630-1
ii)	Physical Property				
7	Water Absorption	3 < E ≤ 6%	Average 3 < E ≤ 6%, Individual Max 6.2	3 < E ≤ 6%	ISO 10545-3/ IS 13630- 2
8	Modulus of Rupture	≥ 22 N/mm <sup>2</sup>	Average 22 N/mm <sup>2</sup> , Individual 20 N/mm <sup>2</sup> , Min	≥ 25 N/mm <sup>2</sup>	ISO 10545-4/ IS 13630-6
9	Breaking Strength	≥600 N for thickness <7.5 mm, ≥1000N for thickness ≥7.5mm	≥500 N for thickness <7.5 mm, ≥800N for thickness ≥7.5mm	≥600 N for thickness <7.5 mm, ≥1000N for thickness ≥7.5mm	ISO 10545-4 / IS 13630-6
10	Moisture expansion	Report value	0.03 mm/m, Max	0.03 mm/m, Max	ISO 10545-10 / IS 13630-3
11	Scratch hardness of surface (Moh's scale)	Not Required	4, Min	≥ 4	IS 13630 -13
12	Resistance to Surface Abrasion of Glazed Tiles for Floor Application	Report abrasion class	class II, Min	class II, V	ISO 10545-7 / IS 13630 -11
13	Coefficient of Linear Thermal Expansion	Report value	Max, 9 x 10 <sup>-6</sup> K <sup>-1</sup>	≤ 9 x 10 <sup>-6</sup> K <sup>-1</sup>	ISO 10545-8/ IS 13630-4
14	Thermal Shock Resistance	Report result	10 cycles Min	No Damage	ISO 10545-9 / IS 13630 -5
15	Crazing Resistance of Glazed Tiles	Report result	4 cycles @7.5 bar Min	No Damage	ISO 10545-11/ IS 13630-9
16	Impact Resistance	Report result	0.55, Min	≥ 0.55	ISO 10545-5/ IS 13630-14
17	Slip Resistance for Floor Application	Report result	Manufacturer to declare	0.4 to 0.5	ANSI B101.3
18	Frost Resistance	Report result	Required if requested by purchaser	No Damage	ISO 10545-12/ IS 13630-10
19	Chemical Property (Cleansers except to cleansing agents containing Hydrofluoric acids and its compounds)				
a	Resistance to Staining - Glazed Tiles	Min Class 3	Class 1, Min	Class 3, (ISO) / Class 1 (BIS)	ISO 10545-14 / IS 13630-8
b	Resistance to Household Chemicals and Swimming Pool water cleansers	GB	Class AA Min	GA/AA	ISO 10545-14 / IS 13630-8
c	Resistance to acids and alkalis (Glazed Tiles)	report resistance class	report resistance class	GA	ISO 10545-13 / IS 13630 -8
20	Color Resistance to UV light	Report result	-	No change in colour	DIN 51094

\* ISO / IS technical specifications for Johnson tiles are applicable only for premium /1st Quality tile  
Please inspect all tiles prior to installation, company will not entertaining complaints once tiles are laid/ fixed

## TECHNICAL SPECIFICATIONS

S. No.	Property	International Standard ISO 13006 / EN 14411 Group B1a Requirement	Indian Standard IS 15622:2017 Group B1a Requirement	Johnson Ceramic Floor Rectified	Test Method
i)	<b>Dimensions &amp; Surface Quality</b>		Rectified edge		Test Method
1	Deviation in Length & Width	± 0.3% or ± 1.0mm	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
2	Deviation in Thickness	± 5% or ± 0.5mm	± 5%	± 4%	ISO 10545-2 / IS 13630-1
3	Straightness of Sides	± 0.3% or ± 1.5mm	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
4	Rectangularity	± 0.3% or ± 2.0mm	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
5	Surface Flatness (Center Curvature, Edge Curvature & Warpage)	± 0.4% or ± 1.8mm	± 0.5%	± 0.3%	ISO 10545-2 / IS 13630-1
6	Surface Quality	Min 95% free from visible defects	Min 95% free from visible defects	>95% free from visible defects	ISO 10545-2 / IS 13630-1
ii)	<b>Physical Property</b>				
7	Water Absorption	3<E≤ 6%	Average 3<E≤ 6%, Individual Max 6.2	3<E≤ 6%	ISO 10545-3/ IS 13630-2
8	Modulus of Rupture	≥ 22 N/mm <sup>2</sup>	Average 22 N/mm <sup>2</sup> , Individual 20 N/mm <sup>2</sup> , Min	≥ 25 N/mm <sup>2</sup>	ISO 10545-4/ IS 13630-6
9	Breaking Strength	≥ 600 N for thickness < 7.5 mm, ≥ 1000N for thickness ≥7.5mm	≥ 600 N for thickness < 7.5 mm, ≥ 1000N for thickness ≥7.5mm	≥ 600 N for thickness < 7.5 mm and ≥ 1000N for thickness ≥7.5mm	ISO 10545-4 / IS 13630-6
10	Moisture expansion	Report value	0.03 mm/m, Max	0.03 mm/m, Max	ISO 10545-10 / IS 13630-3
11	Scratch hardness of surface (Moh's scale)	Not Required	4, Min	≥ 4	IS 13630 -13
12	Resistance to Surface Abrasion of Glazed Tiles for Floor Application	Report abrasion class	class II, Min	class II-V	ISO 10545-7 / IS 13630 -11
13	Coefficient of Linear Thermal Expansion	Report value	Max, 9 x 10 <sup>-6</sup> K <sup>-1</sup>	≤ 9 x 10 <sup>-6</sup> K <sup>-1</sup>	ISO 10545-8 / IS 13630- 4
14	Thermal Shock Resistance	Report result	10 cycles Min	No Damage	ISO 10545-9 / IS 13630 -5
15	Crazing Resistance of Glazed Tiles	Report result	4 cycles @7.5 bar Min	No Damage	ISO 10545-11/ IS 13630-9
16	Impact Resistance	Report value	0.55 Min	≥ 0.55	ISO 10545-5/ IS 13630 -14
17	Slip Resistance for Floor Application	Report value	Manufacturer to declare	0.4 to 0.5	ANSI B101.3
18	Frost Resistance	Report result	Required if requested by purchaser	No Damage	ISO 10545-12 / IS 13630-10
19	<b>Chemical Property</b> (Cleansers except to cleansing agents containing Hydrofluoric acids and its compounds)				
a	Resistance to Staining - Glazed Tiles	Min Class 3	Class 1, Min	Class 3, (ISO) / Class 1 (BIS)	ISO 10545-14 / IS 13630-8
b	Resistance to Household Chemicals and Swimming Pool water cleansers	GB	Class AA Min	GA/AA	ISO 10545-14 / IS 13630-8
c	Resistance to acids and alkalis (Glazed Tiles)	report resistance class	report resistance class	GA	ISO 10545-13/ IS 13630-8
20	Color Resistance to UV light	Report result	-	No change in colour	DIN 51094

\* ISO / IS technical specifications for Johnson tiles are applicable only for premium / 1st Quality tile  
Please inspect all tiles prior to installation, company will not entertaining complaints once tiles are laid/ fixed

## PACKING DETAILS

Product	Nominal Size (cm)	No of Tiles/Box	Approx Area/Box (sq m)	Approx Weight/Box (kgs)	Approx Cartons/ 20' Container	Approx Area per Container (sq m)
60x60 Polished	60x60	4	1.44	28.5	947	1364
60x60 Matt	60x60	4	1.44	27.2	992	1428
40x40	40x40	8	1.28	22.3	1210	1549
30x30 - 10mm thk	30x30 - 10mm	10	0.9	19.6	1377	1239
30x30 Digital	30x30	10	0.9	14.8	1824	1642
30x30 Non Digital	30x30	10	0.9	14.6	1849	1664
30.6x30.6 Non Digital	30.6x30.6	10	0.94	15.1	1788	1674



## YOU CAN ALSO REACH US AT

Region	Branch	Tel.:
East	Kolkata	033-46021880
	Bhubaneshwar	0674 6539836/37/2430240
	Siliguri	9836065812
	Guwahati	8135846661/7575900492
	Ranchi	9576038118
West	Mumbai	022-40647500
	Thane	022-25867600 / 666
	Pune	020-41301164 / 31
	Aurangabad	8669600748
	Ahmedabad	079-48480010
	Raipur	0771-4919129
	Indore	0731-4007441
North	Jalandhar	0182-4505038 / 39
	Chandigarh	0172-4697100
	Delhi	011-49526600

Region	Branch	Tel.:
North	Jaipur	0141-2368329
	Lucknow	0522-2721699
	Varanasi	0542-2222620
	Patna	9576038781
South	Bengalure	080-22234310/080-22234330
	Hyderabad	040-29802270 / 71 / 72
	Vijayawada	9666429666
	Vishakhapatnam	0891-2796376
	Tirupati	9121228960
	Kochi	0484-4871277
	Kozhikode	0422-4382698
	Thiruvananthapuram	0471-2720141
	Chennai	044-28544116 / 28541881
	Coimbatore	0422-4382698
	Madurai	0452-4355584 / 4355594
	Trichy	9486718544

## EXPERIENCE CENTERS

Location	Address	Tel.:
Kolkatta	HOUSE OF JOHNSON - 83 JBS Haldane Avenue, TOPSIA Trinity towers Kolkata - 700046	033-46021880
Guwahati	HOUSE OF JOHNSON - 1st Floor, Above Royal Riders Honda, Near Rahul Kata, Pub Bragaon, Garchuk, Guwahati - 781035	7575900492
Bhubaneshwar	HOUSE OF JOHNSON - Ray Tower, 1st Floor, N4/237, Indradhanu market, IRC Village, Nayapalli, Bhubaneshwar, Orissa - 751015	0674 6539836/37/2430240
Patna	HOUSE OF JOHNSON - SK Builders and colonizer Pvt.Ltd.,1st Floor, SK Palace, Saguna more, Bihar - 801503.	9702651243
Chandigarh	HOUSE OF JOHNSON - SCO 214, sector14, Panchkula, Haryana - 134109	0172-4637724
Delhi	HOUSE OF JOHNSON - First & Mezzanine Floor, B-1/G-3, Mohan Industrial Estate, Mathura Road, New Delhi - 110094.	11-49526600
Lucknow	HOUSE OF JOHNSON - 1st Floor, Prithvi Ratan Height,Plot No CP-4, Vijayant khand - 3, Gomtinagar Yojna, Lucknow - 226028	0522-2721699
Varanasi	HOUSE OF JOHNSON - Ashakunj, 1st floor, D59/103 D4, Opp Siddharth Complex, Sigra Mehmoorganj Road, Varanasi - 221010	0542-2222620
Aurangabad	House Of Johnson Aurangabad - Gut No 16/44, NH-211, Near Balapur Phata, Near Ramkisan Lawns, Beed Bypass Road Aurangabad 431005	8669600748
Pune	HOUSE OF JOHNSON - Sable House, Poona Snuff Factory, Sr. No 11A, Plot 408/4/5, Satara Road, Gultekadi, Pune - 411037	7350009364
Thane	HOUSE OF JOHNSON - Shop No.5, Gr.Floor, Cosmos Jewels, Near Dmart, Anand Nagar, Ghodbunder Road, Thane West - 400615	8424003247
Mumbai - Andheri	HOUSE OF JOHNSON - 1st flr, Bonanza, Sahar Plaza, Nr Hotel Kohinoor continental, J B Nagar, Andheri Kurla Road, Andheri East, Mumbai - 400059	8108030975
Ahmedabad	HOUSE OF JOHNSON - F 106-107, Shivalik Plaza, IIM Road, Panjrapole Cross Road, Ahmedabad, Gujarat - 380015	079-48480010
Indore	HOUSE OF JOHNSON - Shop No 5, 6, 7 and 8, Upper Ground Floor, Exotica, Shalimar Township, Village Niranjapur, A. B. Road, Indore, Madhya Pradesh - 452001	0731-4007441
Raipur	HOUSE OF JOHNSON - 2nd Floor, MM Silver Plaza, Opp Udyog Bhawan, Ring Road - 1, Raipur, Chattisgarh - 492001	771-4919129
Coimbatore	HOUSE OF JOHNSON - Elysium Towers, Park Gate Rd, No. 21, ATT Colony, Gopalapuram, Coimbatore - 641018	0422-4382698
Chennai	HOUSE OF JOHNSON - 82, 84 & 86 Bascon Maeru, 1st floor, Kodambakkam High Road, Nungambakkam, Chennai - 600034	044-48611632
Kochi	HOUSE OF JOHNSON - Door no. 11/300 f, Next to VTJ Hyundai, NH 47 Kundanoor, Maradu, Kochi, Ernakulam - 682304	0484-4871277
Kozhikode	HOUSE OF JOHNSON - Tilal Tower, Near Nexa Showroom, Kudilthod, Malaparamba bypass, Kozikode, Kerala - 673017	0495-2357505
Thiruvananthapuram	HOUSE OF JOHNSON -1st Floor, Sreedhanya Apex, TC 22/3720 (4) Vellayambalam, Sasthamangalam PO, Thiruvananthapuram, Kerala - 695010	0471-2720141
Bengalure	HOUSE OF JOHNSON - No.39, Rajaram Mohan Roy Road , Opp. Kanteerava indoor Stadium, Bengalure - 560027	080-22234310/080-22234330
Bengalure	HOUSE OF JOHNSON - Dodda Banaswadi, Opp. New Baldwin Residential School, Bengalure-560043	080-41692976 / 41692060
Hyderabad	HOUSE OF JOHNSON - SP Jubilee Crown (3rd Floor) Plot - 1270, Road No.36, Jubilee Hills, Hyderabad - 500033	8897525143

For address and contact numbers of our Johnson Exclusive Showrooms and Authorized Retailers, please visit our website [www.hrjindia.com](http://www.hrjindia.com)



**Toll Free No.:** 1800-210-7484

**WhatsApp No.:** +91 84510 57484

**Email:** tiles.customercare@prismjohnson.in

**For Export Enquires, Email:**

exports.customercare@prismjohnson.in

## **PRISM JOHNSON LIMITED**

### **H & R JOHNSON (INDIA) DIVISION**

#### **Corporate Office:**

7th Floor, Windsor, C. S. T. Road, Kalina,  
Santacruz (East), Mumbai - 400 098, India.

**Tel:** +91-22-40647300

**Website:** www.hrjohnsonindia.com

**Registered Office:** 305, Laxmi Niwas Apartments, Ameerpet  
Hyderabad - 500016, Telangana, India.

**Download App**



**Download E-Catalogue**



HRJIndia



@hrjohnsonofficial



Hrjohnsonindia



hrjohnson\_india



h-&-r-johnson-india-prism-johnson-limited



HRJohnsonIndia1